## **EAST Search History**

Ref	Hits	Search Query	DBs	Default	Plurals	Time Stamp
.#		7810		Operator		
S1	110	((370/395.32)).CCLS, AND (@AD<"20020305" OR @PRAD<"20020305" OR @RLAD<"20020305")	US-PGPUB; USPAT	Q <sub>R</sub>	8	2005/12/16:09:35
<b>S2</b>	ं (र्खे <b>4499</b>	hash AND parallel AND address and function AND (@AD<"20020305" OR @PRAD<"20020305")	US-PGPUB; USPAT	Я Я	8	2005/12/16 11:23
ន	± 26	(parallel ADJ hashing) AND address and function AND (@AD<"20020305" OR @PRAD<"20020305" OR @RLAD<"20020305")	US-PGPUB; USPAT	R	8	2005/12/13 14:02
<b>S</b> 4	<b>j</b>	("5406279").PN. TEST STORY OF THE TOTAL TO	USPAT	유	유	2005/12/13 14:02
8	2641	((341/50,51,67,106,107)).CCLS.	US-PGPUB;	웆	2	2005/12/14 16:53
ì			USPAI		-	
<b>S7</b>	1885	((370/209,211,395:32,463,477)).CCLS.	US-PGPUB; USPAT	Я	9	2005/12/14 17:17
s S	<b>1</b> —1	("5371499").PN:	USPAT	දි	양	2005/12/15 10:10
S9 :	2 31	(parallel ADJ hashing) AND address AND (@AD<"20020305" OR: @PRAD<"20020305" OR @RLAD<"20020305")	US-PGPUB; USPAT	ᄋᄋ	9	2005/12/15 10:11
S11	1-4	("20020116527").PN.	us-Pgpub	ይ	OFF	2005/12/16 09:35
<b>S12</b>	48" 4 <b>194</b> DKL/	hash AND "layer 2" AND address and MAC AND "48" AND /2" (@AD<"20020305" OR @PRAD<"20020305" OR @RLAD<"20020305")	US-PGPUB; USPAT :	ᄋᠷ	8	2006/04/27 10:49
S13	# 55	hash:AND "layer:2" AND address and MAC AND "48 bit" AND "#" (@AD<"20020305" OR @PRAD<"20020305" OR @RLAD<"20020305")	US-PGPUB; USPAT	유	9	2005/12/16 10:39
S14	<b>1</b>	("20030117944").PN: 486 LA CR. 1 1 CK. 1055 165,75/16 10:44.	US-PGPUB	Q <sub>R</sub>	유	2005/12/16 10:40
S15	. 102	hash AND "layer 3" AND address and IP AND "128 bit" AND	US-PGPUB; USPAT	웆	8	2005/12/16 10:55
S16.	H	("20020120828").PN.	US-PGPUB	ᄋᄋ	양	2005/12/16 10:59
S17		("20020059197").PN.	US-PGPUB	웃	OFF	2005/12/16 10:59
S18	567	hash AND clock AND "xor" and function AND (@AD<"20020305": OR @PRAD<"20020305" OR @RLAD<"20020305")	US-PGPUB; USPAT	OR	N ON	2005/12/16 11:23
S19	79	hash AND (single ADJ clock) AND "xor" and function AND (@AD<"20020305" OR @PRAD<"20020305" OR @RLAD<"20020305")	US-PGPUB; USPAT	QR	8	2005/12/16 11:24

## **EAST Search History**

			•		,	•	•	į.				٠.				
南洋	::3 <del>-2-</del>		. ·••	'n	).( ).(	ر. کشت در		·	۲.							٠
S38	S37	<b>S36</b>	S35	S34	).C <b>S33</b>	S32	) (31	S30	S29	S28	S27	<b>S26</b>	<b>S24</b>	<b>S23</b>	<b>S</b> 22	<b>S21</b>
				2663	5343	3205	11144					2559	3090	4897	864	3082
4 = =	2 (	1 (	1	<del>!                                      </del>	<u></u> ნ	::	:::::::::::::::::::::::::::::::::::::::	48	# ~	1 (		:	:::::::::::::::::::::::::::::::::::::::	: :,	<del></del>	<u>:</u>
ash A @AD<	ash A @AD<	("5802054").PN	("5386413").PN	(711/	(370/:	(341/	(341/: 77) (3	(711/	711	("6804767").PN	("6097725").PN	(711/	((370/389)).CCLS	(370/	(34 <u>1/</u>	(341/
ND ad:	ND "I:	054").	<b>413"</b> )	147,1!	209,2:	50,51,	50,51, R (71	147,1!	147,1	767")	725")	147,1	389)).	209,2	55,65	50,51,
dress 20305	yer 2 20305	P.	2	53,169	11,389	55,65	55,65 1/147	53,169	53,169	.PN.	Ż	53,169	CCLS.	11,389	.87,95	.55,65
and N	S AND	7.73		((711/147,153,169,216,217)):CCLS	),395.	,67,87	,67,87 ,153,1	),216,	),216,	ιų		((711/147,153,169,216,217)):CCLS.		),395.	((341/55,65,87,95)).CCLS	,67,87
AC AI	addre @PRAI	٠.		217))	32,46	7,95,1	7,95,1 69,21	217)). `(	217))	-1		217))		32,46	Ŋ	7,95,1
ND "4; 0<"20	:ss an )<"20			CCLS.	3,477	06,10	06,10 6,217	CCLS.	STO			ככרצ		3,477		06,10
8" ANI	d MAC )0203(				((370/209,211,389,395.32,463,477)).CCLS	((341/50,51,55,65,67,87,95;106,107)).CCLS.	)). CC	AND	Š					((370/209,211,389,395.32,463,477)).CCLS		((341/50,51,55,65,67,87,95,106,107)).CCLS
hash AND address and MAC AND "48" AND multistage AND (@AD<"20020305" OR @PRAD<"20020305" OR @RLAD<"20020305"	hash AND "layer 2" AND address and MAC AND "48" AND multistage , (@AD<"20020305" OR @PRAD<"20020305" OR @RLAD<"20020305			 5	S.	.S.	((341/50,51,55,65,67,87,95,106,107) OR (370/209,211,389,395.32,4 477) OR (711/147,153,169,216,217)).CCLS.	((711/147,153,169,216,217)).CCLS. AND (HASH AND "12 bit" AND result)	((711/147,153,169,216,217)).CCLS. AND (HASH AND "20 bit" AND result)	;;		$C_{i}$		S		J.S.
tistage RLL	"48" / @RL			********	÷.,		209,2	AND	A A B			ý.				<del></del> -
AD<"	AB n	;		**		,	11,38	"12 b	2 0	797		27				
20020	nultist 2002C						9,395	jiť' AN	ř. Ž							
305")	age A 1305")					: :	32,46	D res	5 8	Į.						
	ONA!" ع	7					<b>5</b> 3,	Ð	Ē	,		ŕ				
Sn	સુસ	เรา	เร	S S S	នូខ	S Sn	รูบ	รูเ	รม	SU	S	SS	รม	SS	S S	sn Sn
US-PGPUB; USPAT	US-PGPUB; USPAT	USPAT	USPAT	US-PGPUB; USPAT	US-PGPUB, USPAT	US-PGPUB; USPAT	US-PGPUB USPAT	US-PGPUB; USPAT	US-PGPUB USPAT	USPAT	USPAT	US-PGPUB; USPAT	US-PGPUB USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT	US-PGPUB; USPAT
-R		0	O	·						0	$\sim$	<u>:</u>				
Se de la constant de	Я	유	웃	Я <u> </u>	Я	Я	웃	유	, <u>S</u>	웃	႙	웃	웃	₽ P	웆	OR
9	9	0	유	9	9	9	9	9	9	0	0	Q	9	Q	9	ON
Z	Z	유	4	Z	Z	Z	Z	2	Z	OFF	유	Z	2	Z	Z	Z
2006	2006	2006	2006	2006	2006	2006	2006	2005	2005	2005	2005	2005	2005	2005	2005	2005
/04/2	) (4) 2)	/04/2	/04/2	/04/2	) 04/2	5/04/2 ::	ÿ04/2	3/12/2	;/12/2 ,	7/12/2	7/12/2	3/12/2	<b>3/12/1</b>	3/12/1	7/12/1	/12/1
2006/04/27 10:52	2006/04/27 10:51	2006/04/27 10:40	2006/04/27 10:40	2006/04/27 10:38	2006/04/27 09:30	2006/04/27 08:55	2006/04/27 10:31	2005/12/20 10:35	2005/12/20 10:35	2005/12/20 09:53	2005/12/20 09:53	2005/12/20 09:55	2005/12/16 16:29	2005/12/16 16:29	2005/12/16 16:20	2005/12/16 16:19
ਨੌਂ	ĭ	ರ	ъ	õ	త	5	2	ភ	ទី	ŭ	ŭ	Ϋ,	 წ	ĕ	ĕ	9

## **EAST Search History**

		Ş	@RLAD<"20020305")  @RLAD<"20020305")  20020 70 (hash) AND lookup AND combiner AND (@AD<"20020305" OR 27
R R	B;	US-PGPUB; OR USPAT	3325   13   (double ADJ hash) AND address AND (@AD<"20020305" OR 4/5   @PRAD<"20020305" OR @RLAD<"20020305")
S S		US-PGPUB; OR USPAT	40 hash AND address AND multistage AND (@AD<"20020305" OR @PRAD<"20020305" OR @RLAD<"20020305")
B; OR	. ==	US-PGPUB; OR USPAT	9 hash AND address and MAC AND multistage AND (@AD<"20020305" OR @PRAD<"20020305")